according to Regulation (EC) No. 1907/2006



TANEX power

WM 0715931 Order number: 0715931

Version 1.10 Revision Date 09.03.2023 Print Date 21.03.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : TANEX power

UFI : F6V2-60TY-3004-C2UU

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Cleaning agent

Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company : Tana Chemie GmbH

Rheinallee 96 55120 Mainz

Telephone : +49613196403 Telefax : +4961319642414

E-mail address : Produktsicherheit@werner-mertz.com

Responsible/issuing person

Contact person : Product development / product safety

1.4 Emergency telephone number

112

Centru za kontrolu otrovanja u Zagrebu na tel. (01) 2348 342

+49(0)6131-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Safety data sheet available on request.

2.3 Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		

according to Regulation (EC) No. 1907/2006



TANEX power

WM 0715931 Order number: 0715931

Version 1.10 Revision Date 09.03.2023 Print Date 21.03.2023

	Registration number		
1-butoxypropan-2-ol	5131-66-8 225-878-4 603-052-00-8	Eye Irrit. 2; H319 Skin Irrit. 2; H315	>= 2 - < 5
	01-2119475527-28	specific concentration limit Eye Irrit. 2; H319 > 20 % Skin Irrit. 2; H315 > 20 %	
2,2'-methyliminodiethanol	105-59-9 203-312-7 603-079-00-5 01-2119488970-24	Eye Irrit. 2; H319	>= 1 - < 2
Decan-1-ol, ethoxylated	26183-52-8 500-046-6	Eye Irrit. 2; H319	>= 1 - < 2

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : No hazards which require special first aid measures.

If inhaled : Move to fresh air in case of accidental inhalation of dust or fumes

from overheating or combustion. If symptoms persist, call a physician.

In case of skin contact : Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water.

In case of eye contact : Protect unharmed eye.

If easy to do, remove contact lens, if worn.

Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.

Risks : No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : For specialist advice physicians should contact the Poisons

Information Service.

according to Regulation (EC) No. 1907/2006



TANEX power

WM 0715931 Order number: 0715931

Version 1.10 Revision Date 09.03.2023 Print Date 21.03.2023

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion products : No hazardous combustion products are known

5.3 Advice for firefighters

Special protective equipment for :

firefighters

In the event of fire, wear self-contained breathing apparatus.

Further information : Collect contaminated fire extinguishing water separately. This must

not be discharged into drains.

Fire residues and contaminated fire extinguishing water must be

disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

6.2 Environmental precautions

Environmental precautions : Try to prevent the material from entering drains or water courses.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Neutralise with acid.

Sweep up and shovel.

Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8., Treat recovered material as described in the section "Disposal considerations"., Refer to section 15 for specific national regulation.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8.

No special handling advice required.

Advice on protection against fire :

and explosion

Normal measures for preventive fire protection.

Hygiene measures : Wash hands before breaks and at the end of workday.

according to Regulation (EC) No. 1907/2006



TANEX power

WM 0715931 Order number: 0715931

Version 1.10 Revision Date 09.03.2023 Print Date 21.03.2023

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas

and containers

Keep container tightly closed in a dry and well-ventilated place. Store

at room temperature in the original container.

Advice on common storage : No special restrictions on storage with other products.

Further information on storage

stability

No decomposition if stored and applied as directed.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Personal protective equipment

Eye/face protection : not required under normal use

Hand protection

Material : not required under normal use

Material : For prolonged or repeated contact use protective gloves.

It is suggested the usage of chemical resistant gloves made of butyl

rubber or nitrile rubber category III according to EN 374.

As alternative, a different type of gloves might be used if, accordingly to the recommendations of the producer, guarantee the same level of

protection.

Remarks : Take note of the information given by the producer concerning

permeability and break through times, and of special workplace

conditions (mechanical strain, duration of contact).

Skin and body protection : not required under normal use

Respiratory protection : not required under normal use

according to Regulation (EC) No. 1907/2006



TANEX power

WM 0715931 Order number: 0715931

Version 1.10 Revision Date 09.03.2023 Print Date 21.03.2023

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : blue
Odour : pleasant

Odour Threshold : No data available pH : ca. 11,0, 100 %

at 20 °C

Melting point/range No data available Boiling point/boiling range No data available Flash point does not flash Evaporation rate : No data available Flammability (solid, gas) No data available Flammability (liquids) No data available No data available Burning rate Lower explosion limit No data available No data available Upper explosion limit No data available Vapour pressure Relative vapour density : No data available Relative density No data available

Density : ca. 1,004 g/cm3 at 20 °C

Water solubility : completely miscible

Solubility in other solvents : No data available Partition coefficient: n- : No data available

octanol/water

Ignition temperature : No data available
Thermal decomposition : No data available
Viscosity, dynamic : No data available
Viscosity, kinematic : No data available
Explosive properties : No data available
Oxidizing properties : No data available

9.2 Other information

according to Regulation (EC) No. 1907/2006



TANEX power

WM 0715931 Order number: 0715931

Version 1.10 Revision Date 09.03.2023 Print Date 21.03.2023

none

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Our company is strongly against animal testing.

Our company does not place any orders for animal testing for the finished product or the ingredients. However, as a result of EU legislation (REACH Regulation), the manufacturers of ingredients or EU importers are obliged to test ingredients with regard to their effects on human health and the environment before they are brought onto the market. Some of the tests made necessary by this took place decades ago.

Acute toxicity

Acute toxicity : Not Rated

Components:

1-butoxypropan-2-ol

BUTOXYPROPANOL:

Acute oral toxicity : LD50 Oral (Rat, male and female): 3.300 mg/kg

Method: see user defined free text

LD50 (Rat): > 2.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): 651 mg/l

Exposure time: 4 h

LC50 (Rat): 3,5 mg/l Exposure time: 4 h Test atmosphere: vapour

Acute dermal toxicity : LD50 Dermal (Rabbit): > 2.000 mg/kg

Method: OECD Test Guideline 402

according to Regulation (EC) No. 1907/2006



TANEX power

WM 0715931 Order number: 0715931

Version 1.10 Revision Date 09.03.2023 Print Date 21.03.2023

2,2'-methyliminodiethanol

105-59-9:

Acute oral toxicity : LD50 (Rat): 4.680 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Method: OECD Test Guideline 402

Decan-1-ol, ethoxylated

26183-52-8:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Skin corrosion/irritation

Product:

Remarks : According to the classification criteria of the European Union, the

product is not considered as being a skin irritant.

Components:

2,2'-methyliminodiethanol

105-59-9:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Product:

Remarks : According to the classification criteria of the European Union, the

product is not considered as being an eye irritant.

Components:

2,2'-methyliminodiethanol

105-59-9:

Species : Rabbit

Method : OECD Test Guideline 405

Result : Irritating to eyes.

Decan-1-ol, ethoxylated

26183-52-8:

Species : Rabbit Result : irritating

Respiratory or skin sensitisation

Product:

Remarks : No data available

according to Regulation (EC) No. 1907/2006



TANEX power

WM 0715931 Order number: 0715931

Version 1.10 Revision Date 09.03.2023 Print Date 21.03.2023

Components:

2,2'-methyliminodiethanol

105-59-9:

Species : Guinea pig

Method : OECD Test Guideline 406
Result : Does not cause skin sensitisation.

Germ cell mutagenicity : Not Rated

Carcinogenicity : Not Rated

Reproductive toxicity : Not Rated

STOT - single exposure : The substance or mixture is not classified as specific target organ

toxicant, single exposure.

STOT - repeated exposure : The substance or mixture is not classified as specific target organ

toxicant, repeated exposure.

Aspiration toxicity : Not Rated

11.2 Information on other hazards

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Components:

BUTOXYPROPANOL:

Toxicity to fish : LC50 (Poecilia reticulata (guppy)): 560 - 1.000 mg/l

Exposure time: 96 h

NOEC (Poecilia reticulata (guppy)): 180 mg/l

Exposure time: 96 h

LC50 (Fish): 1.000 mg/l Exposure time: 96 h

LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1.000 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

according to Regulation (EC) No. 1907/2006



TAN	EX	DO	wer

WM 0715931 Order number: 0715931

Version 1.10 Revision Date 09.03.2023 Print Date 21.03.2023

NOEC (Daphnia magna (Water flea)): 560 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (microalgae)): > 1.000

mg/l

Exposure time: 96 h

Test Type: Cell multiplication inhibition test

NOEC (Selenastrum capricornutum): 560 mg/l

Exposure time: 96 h

Toxicity to microorganisms : EC50 (Bacteria): > 1.000 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

105-59-9:

Toxicity to fish : (Leuciscus idus (Golden orfe)): 1.466 mg/l

Exposure time: 96 h Test Type: static test

Toxicity to daphnia and other :

aquatic invertebrates

(Daphnia magna (Water flea)): 233 mg/l

Exposure time: 48 h Test Type: static test

Method: Directive 67/548/EEC, Annex V, C.2.

Toxicity to algae/aquatic

plants

NOEC (Desmodesmus subspicatus (green algae)): 6,25 mg/l

Exposure time: 72 h

EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h

Toxicity to microorganisms : EC20 (activated sludge): > 1.000 mg/l

Exposure time: 0,5 h

Method: OECD Test Guideline 209

26183-52-8:

Toxicity to fish : LC50 (Fish): < 10 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia (water flea)): 7,8 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

: EC50 (algae): 6,3 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 201

12.2 Persistence and degradability

Components:

BUTOXYPROPANOL:

Biodegradability : Biodegradation: 90 %

according to Regulation (EC) No. 1907/2006



TANEX power

WM 0715931 Order number: 0715931

Version 1.10 Revision Date 09.03.2023 Print Date 21.03.2023

Exposure time: 28 d Method: OECD 301 E

Remarks: Readily biodegradable, according to appropriate

OECD test.

105-59-9:

Biodegradability : Result: rapidly biodegradable

Biodegradation: 96 % Exposure time: 18 d Method: OECD 301 A

26183-52-8:

Biodegradability : Result: rapidly biodegradable

Biodegradation: > 60 % Exposure time: 10 d Method: OECD 301 D

Result: rapidly biodegradable Biodegradation: > 70 % Exposure time: 28 d Method: OECD 301 D

12.3 Bioaccumulative potential

Components:

BUTOXYPROPANOL:

Bioaccumulation : Bioconcentration factor (BCF): < 100

Remarks: Does not bioaccumulate.

Partition coefficient: n-

octanol/water

log Pow: 3,2

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Not relevant

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

Product:

Additional ecological

information

: There is no data available for this product.

according to Regulation (EC) No. 1907/2006



TANEX power

WM 0715931 Order number: 0715931

Version 1.10 Revision Date 09.03.2023 Print Date 21.03.2023

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : In accordance with local and national regulations.

Contaminated packaging : Empty remaining contents.

Empty containers should be taken to an approved waste handling

site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number or ID number

ADR

Not dangerous goods

RID

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADR

Not dangerous goods

RID

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.4 Packing group

ADR

Not dangerous goods

RID

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.5 Environmental hazards

ADR

Not dangerous goods

RID

Not dangerous goods

IMDG

Not regulated as a dangerous good

IATA

Not dangerous goods

14.6 Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.

according to Regulation (EC) No. 1907/2006



TANEX power

WM 0715931 Order number: 0715931

Version 1.10 Revision Date 09.03.2023 Print Date 21.03.2023

For personal protection see section 8.

14.7 Maritime transport in bulk according to IMO instruments Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 649/2012 of the European Parliament and : Not applicable

the Council concerning the export and import of dangerous

chemicals

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations

and articles (Annex XVII)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

TA Luft List (Germany) : Total dust: Not applicable

Inorganic substances in powdered form: Not applicable

: Inorganic substances in vapour or gaseous form: : portionClass 3: <

Not applicable

0,01 %

Organic Substances: : portionClass 1: < 0,01 % Carcinogenic substances: Not applicable

: Mutagenic: Not applicable

: Toxic to reproduction: Not applicable

Volatile organic compounds

(VOC) content

Directive 2010/75/EU of 24 November 2010 on industrial emissions

(integrated pollution prevention and control)

Update: Percent volatile: 3,01 %

468,82 g/l

VOC content excluding water

Volatile organic compounds

(VOC) content

Directive 2010/75/EU of 24 November 2010 on industrial emissions

(integrated pollution prevention and control)

Update: Percent volatile: 3,01 %

30,22 g/l

VOC content valid only for coating materials used on wood surfaces

according to Detergents Regulation EC 648/2004 <5% Anionic surfactants, Non-ionic surfactants, Perfumes

15.2 Chemical safety assessment

SECTION 16: Other information

Full text of H-Statements

H315 : Causes skin irritation. H319 : Causes serious eye irritation.

according to Regulation (EC) No. 1907/2006



TANEX power

WM 0715931 Order number: 0715931

Version 1.10 Revision Date 09.03.2023 Print Date 21.03.2023

Full text of other abbreviations

Eye Irrit. : Eye irritation Skin Irrit. : Skin irritation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships: n.o.s. - Not Otherwise Specified: NO(A)EC -No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT -Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN -United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Classification procedure:

Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REG_EU / EN